

Sample Received: **February 23, 2026**COA Issued: **February 25, 2026**

## PRODUCT INFORMATION

Vendor:  
**Upgrade**Sample Name:  
**BPC-157 5mg**Sample Type:  
**Clear liquid**Batch Number:  
**70-202602-80**MW:  
**1419.2 g/mol**


## ANALYTICAL METHODS

**Identity:** Confirmed via MALDI-MS**Purity:** RP-HPLC (214 nm)**Content:** HPLC quantitation


## TEST RESULTS

Specification	Result	Method	Status
Identity: BPC-157	BPC-157	MALDI-MS	✓ Conforms
Content	5.48 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.3%	RP-HPLC (214 nm)	✓ Conforms

## ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 5.975 min)

## Mass Spectrum (MALDI-MS)

**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.Visit: <https://bioviridians.com/coa-search.html>*Shane Straight***Shane Straight, M.S.**  
Principal Chemist, Bioviridian Inc.Contact: [info@bioviridians.com](mailto:info@bioviridians.com)