

Sample Received: **March 4, 2026**COA Issued: **March 6, 2026**

## PRODUCT INFORMATION

Vendor: **Upgrade**      Sample Name: **DSIP 5mg**      Sample Type: **Nasal spray**      Batch Number: **70-202602-83**

MW:  
**848.8 g/mol**

## ANALYTICAL METHODS

**Identity:** Confirmed via MALDI-MS

**Purity:** RP-HPLC (214 nm)


**Content:** HPLC quantitation

## TEST RESULTS


Specification	Result	Method	Status
Identity: DSIP	DSIP	MALDI-MS	✓ Conforms
Content	4.88 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.8%	RP-HPLC (214 nm)	✓ Conforms

## ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 2.242 min)



## Mass Spectrum (MALDI-MS)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*  
**Shane Straight, M.S.**  
Principal Chemist, Bioviridian Inc.

Contact: [info@bioviridians.com](mailto:info@bioviridians.com)